

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

I&CAD Department – Work Charged Establishment – Regularization of the services of Sri M. Sattaiah, NMR Man Mazdoor, O/o IB Sub-division, Gajwel of IB Division, Siddipet in the existing vacancy of Office Subordinate in terms of G.O.Ms.No.212, Finance (PC.III) Department, dated 22.04.1994 – Orders Issued.

IRRIGATION & COMMAND AREA DEVELOPMENT (SER.V) DEPARTMENT

G.O.Ms.No. 4,

Dated: 20-01-2010

Read the following:

- Ref:
- 1) From the Engineer-in-Chief (IW), I&CAD Department, Hyderabad Lr. No.ENC/IW/P&M/EE.III/W2/64666/1994, dated 03.04.07.
 - 2) Govt. Memo No.11066/Ser.V.(2)/07-4, dated 16.11.07
 - 3) From the Engineer-in-Chief (IW), I&CAD Department, Hyderabad Lr. No.ENC/IW/P&M/EE.III/W2/64666/94.PF-Vol.2, dated 02.08.08 & 20.02.09.
 - 4) From the Hon'ble APAT orders dated 05.08.09 in O.A. No.7794/05 filed by Sri M. Sattaiah, NMR.

* * * * *

ORDER:

The Engineer-in-Chief (IW), I&CAD Department, Hyderabad in the reference 1st read above, has reported, that, the Superintending Engineer, Irrigation Circle, Nizamabad has submitted the proposals for regularization of services of Sri M. Sattaiah, NMR Man Mazdoor duly furnishing the complete service particulars. Sri M. Sattaiah, S/o M. Veeraiah, was engaged as NMR from 1-3-1981 to 12/1985 in I.B.Division, Medak. On removal from his service on 1-1-1986, the individual has approached the Hon'ble Labour Court for reinstatement. The Labour Court in its award in I.D. No.172/89 dated 29-1-1990 has directed the respondents to reinstate the above NMR into service with full back wages with continuity of service. Accordingly, he was taken into service on 17-12-1990 in IB Division, Medak and continuing till to date. Further, the Labour Court II, Hyderabad in its final judgment in I.D. No.691/92 (I.D.172/89 old) dated 13-2-96 has directed to reinstate the petitioner with continuity of past service without back wages. The notification was issued vide G.O.Rt.No.1140, dated 1-6-1996. The N.M.R. has filed O.A. No.7794/2005 in A.P.A.T. for regularization of his services and the Hon'ble APAT in the reference 4th read above, has directed the respondents to regularize the services of the applicant, if he fulfills the conditions as per G.O.Ms.No.212, Finance (PC.III) Department, dated 22.04.1994.

2. The Engineer-in-Chief (IW), I&CAD Department, Hyderabad in the reference 3rd read above, while submitting the supporting documents has requested the Government to obtain and communicate orders for regularization of the services and conversion into last grade service in respect of Sri M. Sattaiah, NMR in the vacancy of Attender (Office Subordinate) in terms of G.O.Ms.No.212, Finance (PC.III) Department, dated 22.04.1994 duly considering the Hon'ble Labour Court Award passed in I.D. No.691/92 for continuity of service without back wages.

3. In the above circumstances and Government after careful examination of the matter hereby direct the Engineer-in-Chief (IW), I&CAD Department, Hyderabad to regularize the services of Sri M. Sattaiah, NMR Man Mazdoor, O/o the IB Sub-Division, Gajwel of IB Division, Siddipet in the existing vacancy of Office Subordinate post in the Roster point No.116(SC) in Irrigation Circle, Medak in terms of G.O.Ms.No.212, Finance (PC.III) Department, dated 22.04.1994 from the prospective date i.e. from the date of issue of orders by competent authority, subject to the condition, that the said vacancy is a regular and substantive one, the information furnished in supportive copies are genuine and no senior eligible person is omitted / overlooked.

(P.T.O.)

..2..

4. The Engineer-in-Chief (IW), I&CAD Department, Hyderabad shall take further necessary in the matter accordingly.

5. This order issues with the concurrence of the Finance (PC.III) Department vide their U.O. No.30147/499/A1/PC.III/08, dated 03.11.08.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

S.P.TUCKER
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (IW), I&CAD Department, Hyderabad.
Sf / Sc.

//Forwarded By Order//

SECTION OFFICER